

Liberate Your Mobile Radio™

 **WIRELESS PACIFIC™**
...WHEN IT MATTERS

X10DR®

LIBERATE YOUR MOBILE RADIO

Accessories & Spares



Replacement & Installation Accessories



XDTC
Desktop Charger



X6WC
6 Way charger



XMVC
Mobile charger



XMDM2
Multi directional mount for gateway/X1WK/XMVC



XCCP
Firefront™
Console



XMPA
Multi-polarity roof mount vehicle antenna kit



XMAK
Multi-polarity rack mount vehicle antenna kit



XSMA2
Replacement Elite/Pro X10DR handset/in-vehicle gateway antenna



X3MK- X3MK-B
3 way charger mount (B) with DC battery back up
Use with XMVC chargers.
includes XDCC-RJ and 3 x XIC-0.15



XPB-C14B
In-line power bank vehicles with isolated vehicle batteries



XIC-0.15
0.15m Interface Cable



XFSB-EXT
Firefront Smart Box
IP67 External mount



XDIA
Dual Interf. Adaptor



XJB
6 way multi unit Junction box



XJB-DCI
6 way DC isolation Junction box
4 isolated/2 Std



XSJB
Dual Radio junction box
2 GW/ 2 Radio



XHJB
Handsfree junction box
3 GW/ 2 Radio

XIC-0.4
0.4m Interface Cable

XIC-1.8
1.8m Interface Cable

XIC-6.0
6m Interface Cable



XDCC-RJ
12V DC, 3A fused, 1.5m cable RJ45



XDCC
12V DC, 3A fused, 1.5m cable 2 pin



XCA- Plus Type 1**
Connects to Radio interface connector
** specific radio suffix



XVMC-RK
Velcro® mount back cover retrofit kit (for XLMC fitted devices)



XEC-4.5
4.5m Extension Cable M-F



XIC-0.5
0.5m Interface Cable

XIC-1.5
1.5m Interface Cable

XIC-6.2
6.2m Interface Cable



XSMB-C14
Replacement Battery
1450mA Li-Pol



XMS
10W Elite IP65 Speaker
Can be mounted externally for Public Address use, or internally for in-car monitor.



XWPB
Wireless PTT Button Use with Pro/Plus, Elite/Plus handsets



XRPB
Rooftop gateway pairing/erase button



XHRC
Hirose port cover



Audio & General Accessories



WPiTRQ-X10



WPTEP-TL



WPTEH-TL



WPEH-TL



WPBEH-TL



WPEB-TL



WPLEH-TL

Advanced Ear Mic with 2.5mm twist and lock ear receivers



WP3WS-X10
Lightweight covert
3 wire acoustic tube
audio accessory



XIPB
In-line PTT suits
all X10DR audio
X10 and XMCH
accessories



WPHFH-X10
Industrial lightweight
noise cancelling
headset
Use with/without
XIPB in line PTT



WPATH-X10
Lightweight Acoustic
tube headset
Use with/without XIPB
in line PTT



WPULH-X10
Ultra light headset
Use with/ without
XIPB in line PTT



WPSHD
Industrial heavy duty
noise cancelling
headset
Use with/without XIPB
in line PTT



WPSHC-X10
WPSHD Headset
to Hirose cable

XTBM

Talk Back Remote Spk Mic
- connects to any gateway
port - includes: XDIA, XIC-0.5 &
mounting clip



Mounting
Clip



XDIA
Dual Adaptor



XIC-0.5
50 cm interface
cable



WPWLP-X10
Large in-line PTT pad
with wireless ring PTT
for Nexus plug



WPWLP-X10D
Large In-Line PTT
-for Draeger or similar
Breathing Apparatus



*For reference only
Purchase elsewhere*



WPFLX-X10
Peltor Flex headset
interface cable



XMCH-C
Closed face
motorcycle headset
Use with/ without XIPB
in line PTT



XMCH-O
Open face
motorcycle headset
Use with/ without
XIPB in line PTT



WPSHC-NEX
WPSHD Headset to
Nexus plug



WPNEX-X10
Peltor™ J11
interface cable



XFPK
Field Programming kit



XEBC
external battery cable
90cm Hirose to USB-A
(use with powerbank).



XATB2
Advanced Test Box
includes AC/12vdc power
supply and XMS speaker

Audio & Handset Accessories:

| | |
|------------|--|
| WPITRQ-X10 | Advanced ear microphone (requires TL earpiece). |
| WPEH-TL | Large black "across ear" earpiece for iTRQ |
| WPTEP-TL | Acoustic tube "quick disconnect" for iTRQ. |
| WPBE-TL | Black earbud "in ear style" earpiece for iTRQ. |
| WPBEH-TL | Black earhook - small earpiece for iTRQ. |
| WPLEH-TL | Extra loud across ear earpiece for iTRQ |
| WP3WS-X10 | 3 wire covert style surveillance audio accessory |
| XTBM | In -cab Talk Back Mic Kit. |
| XMS | 10W IP65 rated external Speaker 1.5m with 3.5mm plug |
| XWPB | X10DR Wireless PTT Button |
| XEBC | External battery charging cable 90cm |

Headsets and Adaptor cables

| | |
|--------------|--|
| WPULH-X10# | Ultra light headset - earpiece style(no in-line PTT). |
| WPATH-X10# | Acoustic Tube lightweight headset (no in-line PTT). |
| WPHFH-X10# | Industrial lightweight headset (no in-line PTT). |
| WPSHD | Noise canceling heavy duty headset for X10DR. (requires WPSHC-X10 or WPSHC-NEX). |
| WPSHC-X10# | X10DR interface cable for direct WPSHD use. |
| XMCH-C# | Closed face headset for Motorcycle helmet. |
| XMCH-O (V2)# | Open face headset for Motorcycle helmet. |
| XIPB | In-line PTT for WPSHC-X10 & XMCH M/C h/sets. |
| WPWLP-X10 | Large in-line Nexus PTT adaptor. (use with Peltor 32 ohm J11 headsets or WPSHC-NEX) |
| WPWLP-X10 D | Large in-line Nexus PTT adaptor for Draeger etc. |
| WPSHC-NEX | WPSHD headset to Nexus cable - for WPWLP-X10. |
| WPNEX-X10# | Nexus-Hirose cable for Peltor J11 32 ohm headset. |

3.5MM Earpieces

| | |
|-------|--------------------------------------|
| WPEH | Large black "across ear" earpiece |
| WPTEP | Acoustic tube "quick disconnect" |
| WPBE | Black earbud "in ear style" earpiece |

Chargers:

| | |
|--------|---|
| X6WC-* | 6 way desktop charger includes AC/12VDC PSU |
| XDTC-* | Desktop charger incl: AC/5VDC USB-C Cbl & plug pack. |
| XMVC | Mobile charger (requires XDCC-RJ or XIC with junction box.) |

Spares:

| | |
|----------------|---|
| X10DRSM-PU2 | (order options as required) Spare Pro Plus Mobile Handset. |
| X10DRSM-PU2-W | Spare Pro Plus Mobile Handset with XWMC. |
| X10DRMD-PU2 | Spare Pro Plus Mobile Gateway. |
| X10DRSM-EX2 | Spare Elite Plus Mobile Handset. |
| X10DRSM-EX2 -W | Spare Elite Plus Mobile Handset with XWMC. |
| X10DRMD-EX2 | Spare Elite Plus Mobile Mobile Gateway. |
| XSMA2 | X10DR Speaker Mic/Gateway internal antenna. |
| XMPA-ANT | Replacement Multipolarity roof mount - antenna only. |
| XMAK-ANT | Replacement N-Type rack mount - antenna only. |
| XSMB-C14 | Spare X10DR 1450mA battery. |
| XVMC-RK | Retrofit Velcro® back cover kit. |

Service Accessories :

| | |
|---------|--------------------------------------|
| XFPK - | X10DR 2nd Gen. Field Programming Kit |
| XATB2*- | X10DR Advanced Service Test Set |

*- Specify AC Plug using suffix- US-EU-UK-AU

can be used with XIPB

Install Accessories:

| | |
|----------|--|
| XMDM2 | Multi-position mounting bracket. (for Std gateway, XMVC & X1WK) |
| X3MK | 3 way Gateway mounting bracket.(includes 3 x interf. cable) |
| X3MK-B | 3 way mounting bracket. -as above but inbuilt DC back-up. |
| XPB-C14 | 1450mA "after hours" power bank (requires XIC-0.5 cable). |
| XMPA | Multi-polarity NMO roof or rack mount 2dBi antenna kit includes 5.2m LMR200 type coax w/fitted RP SMA-M. |
| XMAK | Multi-polarity N-Type rack mount 2dBi antenna kit includes 5.2m LMR200 type coax w/fitted RP SMA-M. |
| XIC-0.5 | 0.5m shielded mm interface cable, Black, M-M |
| XIC-1.5 | 1.5m shielded mm interface cable, Black, M-M |
| XIC-6.2 | 6.2m shielded 6mm interface cable, Black, M-M |
| XIC-0.15 | 0.15m shielded flat interface cable, white, M-M. |
| XIC-0.4 | 0.4m shielded flat interface cable, white, M-M. |
| XIC-1.8 | 1.8m shielded flat interface cable, white, M-M. |
| XIC-6.0 | 6.2m shielded flat interface cable, white, M-M. |
| XEC-4.5 | 4.5m shielded extension 6mm cable, Black, M-F |
| XHJB | Handsfree junction box for multi gateway handsfree installations. |
| XSJB | Smart Junction Box: Dual radio. |
| XDIA | 2 way junction box.# |
| XJB | Junction box - up to 6 X10DRs.#ø |
| XJB-DCI | Junction box - up to 4 X10DRs with DC isolation. ø |
| XDCC | 1.5m 12VDC power cable for XSJB/XJB/XJB-DCI/XPB. |
| XDCC-RJ | 1.5m 12VDC fused power cable for mobile charger |

XCA-** Radio Cable Adaptor. ** radio model specific

| | |
|----------|---|
| | (refer to XCA Master Charts on www.x10dr.com) |
| XCA-APX | Suits Motorola APX/XTL |
| XCA-M26 | Suits Motorola 26 pin Mototrbo |
| XCA-M26T | Suits Motorola 26 pin MTM5400 Tetra |
| XCA-M16 | Suits Motorola 16 pin GM360/MCX/PM400/CDM etc |
| XCA-M16T | Suits Motorola 16 pin MTM800 Tetra |
| XCA-H26 | Suits Hytera MD68/78X |
| XCA-HXG | Suits Harris XGT/M7300 |
| XCA-X25 | Suits Harris XL-185M/200M DB25 |
| XCA-X44 | Suits Harris XL-185M/200M DB44 |
| XCA-RJi | Suits Icom Mic socket interface |
| XCA-I15 | Suits Icom DB15HD:for F5011/F6011/ F5021/F6021/F5121D |
| XCA-I25A | Suits Icom DB25:IC-F9511/9521/ 5061/5062 etc |
| XCA-VM9 | Suits Kenwood/EFJ VM900 DB25 |
| XCA-K15D | Suits Kenwood DB15HD:NX720/3720/TK7360/7302/D840 etc |
| XCA-K15S | Suits Kenwood DB25 TK7360/8360 |
| XCA-K25 | Suits Kenwood DB25:NX700,TK5710/5720/8180 VM5000 |
| XCA-RJK | Suits Kenwood Mic socket interface |
| XCA-R15 | Suits BK/RELM G/DMH radios |
| XCA-R25 | Suits BK/RELM DB25 P25 radios |
| XCA-SRG | Suits Sepura SRG Tetra radios |
| XCA-SD6 | Suits Simoco DB15: SDM600 |
| XCA-SD7 | Suits Simoco DB26HD-F: SDM700 |
| XCA-T15 | Suits Tait DB15 TM8000/9000(Non DMR) |
| XCA-T15D | Suits Tait TM9300 DMR radio |
| XCA-V25 | Suits Vertex DB25: VX5500 etc. |
| XCA-C26 | Suits Airbus TMR880 DB26HD |
| XCA-EXP | Suits Cobham Explorer Sat Link |
| XCA-U25M | Build your own DB25 interface |
| XCA-CUS* | Custom configurations |
| | *MOQ 100 - Call for pricing - delivery |

Not recommended for Mototrbo, DMR or TETRA radios - use XJB-DCI ø when connecting more than four X10DRs also order 1 x XDCC.



Copyright © 2021 Wireless Corporation Ltd. All rights reserved.
WIRELESS PACIFIC, X10DR, LIBERATE YOUR MOBILE RADIO, WHEN IT MATTERS are trademarks or registered trademarks of Wireless Corporation. All other trademarks are the property of their respective owners. V: 2021-1